BORAL	R

Material Safety Data Sheet

Product Name: Boral Engineered Flooring

Issue Date: Oct-2014

Classified as non-hazardous according to the criteria of Worksafe Australia **1. COMPANY DETAILS** Company: **BORAL TIMBER** 89 St Hilliers Road Auburn NSW 2144 Address: Telephone: 1800 818 317 Facsmile: 02 9748 6132 2. IDENTIFICATION Product Name: **Boral Engineered Flooring** Product Code: RH Product use: Pre-finished wood floor covering UN Number: N/A DG Class and subsidiary risk N/A N/A Packaging group: Hazcham code: N/A 2a. Ingredients **Dried wood UV Cured Acrylic Coating Heat Cured Phenolic Adhesive** 2b. Physical Data Wood Appearance: Odour: slight Boiling point: n/a Vapour pressure: n/a Vapour density (Air=1): n/a Solubility in water: no Specific gravity: n/a Flash point: N/A Flammability limits: Combustible solid Volatile organics (VOC): Green Building council green star rated Formaldehyde: Certified Low emission E1

Material Safety Data Sheet Poisons Information Centre: 13 1126 from anywhere is Australia

3. HEALTH HAZARD DATA

Dusk mask or dust extraction should be used to minimise inhalation of wood dust. Continued and chronic inhalation of wood duct has been linked to respiritory illness, including cancer of the respiratory system.

3a. Health Effects			
Acute-ingestion:	N/A		
Acute-eye:	N/A		
Acute-skin:	N/A		
Acute-inhalation:	Dusk mask or dust extraction should be used to		
	minimise inhalation of the wood dust		
3b. First Aid			
Evo:	flush with water		
Eye: Skin:	n/a		
Ingestion:	n/a		
inhalation:	n/a		
First aid facilities:			
First alu lacinties.	Eye wash facilities, soap and water		
3c. Advice to Doctor			
Advice to doctor:	Treat symptomatically		
4. PRECAUTIONS FOR USE			
4a. Exposure Standards			
Exposure guidelines:	None established by the National Occupational Health and Safety Commission for the specific product		
Engineering controls:	n/a		
4b. Personal Protection			
Respiratory protection:	Use with local exhaust ventalation or while wearing dusk musk		
Skin protection:	n/a		
Eye protection:	Use safety goggles when cutting to minimise dust in eyes		
Hygiene:	n/a		
nygione.	110		
4c. Flammability			
Fire hazards:	Combustible Solid		
5. SAFE HANDLING INFORMATION			

Handling caution with heavy weights

5a. Storage and Transport Information

Storage: Transport: UN Number: DG class and subsidiary risk: Packaging group: Hazcham code: Poisons schedule: Shipping name:	Dry temperature conditions Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by road or rail. Unrestricted - - n/a n/a		
5b. Environmental and Disposable Information			
Spills and leaks: Disposable method:	n/a Land fill, fully bio degradable		
5c. Fire and Explosion Data			
Fire & explosion hazard: Extinguishing media: Fire fighting equipment:	Combustible solid Water fog, carbon dioxide, foam, dry chemical, sand. Under fire conditions, product generates irritating and hazardous vapours and toxic fumes. Fire fighters should wear self-contained breathing apparatus in addition to the protective clothing usually worn.		
Hazardous reactions:			
Stability:	n/a		
Hazardous decomposition Products :	n/a		
Hazardous polymersation:	Cannot occur		
6. ADDITIONAL INFORMATION			
Toxicology: Environmental protection: Packaging and labelling information:	n/a n/a n/a		
7. CONTACT POINT			
Company:	BORAL TIMBER		
Address:	89 St Hilliers Road Auburn NSW 2144		
Telephone:	1800 818 317		
Facsmile:	02 9748 6132		
All information is given in good faith without warranty Users are encouraged to assess the product under their own conditions and for their own application			